

# Use a Different PHP Version

In many cases, you might want to use XAMPP with a different PHP version than the one that comes pre-installed. You might do this to get the benefits of a newer version of PHP, or to reproduce bugs using an earlier version of PHP.

**NOTE**

This guide assumes that your system includes all necessary compilation tools. If you don't already have this, you can install it easily by running the command `sudo apt-get install build-essential` or `sudo yum groupinstall "Development Tools"` from your Linux terminal.

To use a different version of PHP with XAMPP, follow these steps:

1. Stop your Apache server using the XAMPP control panel.
2. Open a new Linux terminal and ensure you are logged in as *root*.
3. Back up your current XAMPP PHP files, in case you later wish to revert to the previous PHP version. These files are stored in two locations: the *php/* and *modules/* subdirectories of your XAMPP installation directory (usually, */opt/lampp*). You should also back up the *php.ini* configuration file in the *etc/* subdirectory.

```
cd /opt/lampp
mv /opt/lampp/php /opt/lampp/php.old
mv /opt/lampp/etc/php.ini /opt/lampp/etc/php.ini.old
mv /opt/lampp/modules/libphp5.so /opt/lampp/modules/libphp5.so.old
```

4. Download a source archive of the PHP version that you wish to use from the PHP website, and extract the contents of the compressed archive file to the */tmp* directory.
5. Configure and build PHP in the usual manner. When executing the configure script, specify the XAMPP installation directory for the `--prefix`, `--with-apxs2` and `--with-config-file` options, together with directives for any other modules you wish to activate. For example, here is a simple example of configuring PHP with only MySQL support:

```
./configure --prefix=/opt/lampp --with-apxs2=/opt/lampp/bin/apxs --with-config-file-path=/opt/lampp/etc --with-mysql=mysqlnd
```

Here is an example of a more complex configuration that activates additional modules:

```
./configure --prefix=/opt/lampp --with-apxs2=/opt/lampp/bin/apxs --with-config-file-path=/opt/lampp/etc --with-mysql=mysqlnd --enable-inline-optimization --disable-debug --enable-bcmath --enable-calendar --enable-ctype --enable-ftp --enable-gd-native-ttf --enable-magic-quotes --enable-shmop --disable-sigchild --enable-sysvsem --enable-sysvshm --enable-wddx --with-gdbm=/opt/lampp --with-jpeg-dir=/opt/lampp --with-png-dir=/opt/lampp --with-freetype-dir=/opt/lampp --with-zlib=yes --with-zlib-dir=/opt/lampp --with-openssl=/opt/lampp --with-xsl=/opt/lampp --with-ldap=/opt/lampp --with-gd --with-imagick --with-gettext=/opt/lampp --with-mssql=/opt/lampp --with-sybase-ct=/opt/lampp --with-mysql-sock=/opt/lampp/var/mysql/mysql.sock --with-oci8=shared,instantclient,/opt/lampp/lib/instantclient --with-mcrypt=/opt/lampp --with-mhash=/opt/lampp --enable-sockets --enable-mbstring=all --with-curl=/opt/lampp --enable-mbregex --enable-zend-multibyte --enable-exif --with-bz2=/opt/lampp --with-sqlite=shared,/opt/lampp --with-sqlite3=/opt/lampp --with-libxml-dir=/opt/lampp --enable-soap --enable-pcntl --with-mysqli=mysqlnd --with-iconv=/opt/lampp --with-pdo-mysql=mysqlnd --with-pdo-sqlite --with-icu-dir=/opt/lampp --enable-fileinfo --enable-phar --enable-zip --enable-intl
```

Here is an example of what you might see during the configuration process:

```
root@xampp: /tmp/php-5.6.3
checking for sys/vfs.h... yes
checking for sys/sysxits.h... no
checking for sys/varargs.h... no
checking for sys/wait.h... yes
checking for sys/loadavg.h... no
checking for termios.h... yes
checking for unistd.h... (cached) yes
checking for unix.h... no
checking for utime.h... yes
checking for sys/utsname.h... yes
checking for sys/ipc.h... yes
checking for dlfcn.h... yes
checking for assert.h... (cached) yes
checking for fopencookie... yes
checking for broken getcwd... no
checking for broken libc stdio... yes
checking whether struct tm is in sys/time.h or time.h... time.h
checking for struct tm.tm_zone... yes
checking for missing declarations of reentrant functions... done
checking for fclose declaration... ok
checking for tm_gmtoff in struct tm... yes
checking for struct flock... yes
checking for socklen_t... yes
checking size of size_t...
```

Once configuration is complete, proceed to build PHP as usual.

```
make && make install
```

At the end of this step, the new version of PHP should be installed in the *php/* subdirectory of your XAMPP installation directory, replacing the previous version.

**NOTE** For more information on how to configure and build PHP on Linux systems, [refer to the PHP manual](#).

6. Copy the *php.ini-development* file from the new *php/* subdirectory to the *etc/* subdirectory and rename it to *php.ini*. If you prefer to use production settings, you could instead use the *php.ini-production* file.

```
cd /opt/lampp/
cp php/php.ini-development etc/php.ini
```

7. Restart your Apache server through the XAMPP control panel for your changes to take effect.

The new version of PHP should now be active. To verify this, browse to the URL <http://localhost/xampp/phpinfo.php>, which displays the output of the *phpinfo()* command, and check the version number at the top of the page.

